

# M 5.1, 24.3 miles N of Dyer

Origin Time: Wed 2013-02-13 00:10:14 UTC (17:10:14 local)

Location: 38.03°N 118.05°W Depth: 12 km

Created: 3 weeks, 6 days after earthquake




## Estimated Population Exposed to Earthquake Shaking

ESTIMATED POPULATION EXPOSURE (k = x1000)		13k*	28k	0	0	0	0	0	0	
ESTIMATED MODIFIED MERCALLI INTENSITY		I	II-III	IV	V	VI	VII	VIII	IX	X+
PERCEIVED SHAKING		Not felt	Weak	Light	Moderate	Strong	Very Strong	Severe	Violent	Extreme
POTENTIAL DAMAGE	Resistant Structures	none	none	none	V. Light	Light	Moderate	Moderate/Heavy	Heavy	V. Heavy
	Vulnerable Structures	none	none	none	Light	Moderate	Moderate/Heavy	Heavy	V. Heavy	V. Heavy

\*Estimated exposure only includes population within the map area.

## Population Exposure



### Structures:

Overall, the population in this region resides in structures that are resistant to earthquake shaking, though some vulnerable structures exist.

### Historical Earthquakes (with MMI levels):

Date (UTC)	Dist. (km)	Mag.	Max MMI(#)	Shaking Deaths
1984-11-26	105	5.1	V(17k)	0
2003-12-22	382	6.6	VII(213)	2
1989-10-18	346	6.9	IX(3k)	62

Recent earthquakes in this area have caused secondary hazards such as landslides and liquefaction that might have contributed to losses.

## Selected City Exposure

from GeoNames.org

MMI	City	Population
II	<b>Hawthorne</b>	3k
II	<b>Bishop</b>	4k
II	<b>Bridgeport</b>	< 1k
II	<b>Mammoth Lakes</b>	8k
II	<b>Yerington</b>	3k
II	Tonopah	2k
I	Goldfield	< 1k
I	West Bishop	3k
I	<b>Big Pine</b>	2k

bold cities appear on map

(k = x1000)

PAGER content is automatically generated, and only considers losses due to structural damage. Limitations of input data, shaking estimates, and loss models may add uncertainty.

<http://earthquake.usgs.gov/pager>