

M 5.8, OFF THE EAST COAST OF HONSHU, JAPAN

Origin Time: Wed 2015-06-10 08:33:03 UTC (18:33:03 local)

Location: 39.68°N 143.32°E Depth: 31 km

Created: 4 weeks, 2 days after earthquake




Estimated Population Exposed to Earthquake Shaking

ESTIMATED POPULATION EXPOSURE (k = x1000)		- -*	801k*	0	0	0	0	0	0	0
ESTIMATED MODIFIED MERCALLI INTENSITY		I	II-III	IV	V	VI	VII	VIII	IX	X+
PERCEIVED SHAKING		Not felt	Weak	Light	Moderate	Strong	Very Strong	Severe	Violent	Extreme
POTENTIAL DAMAGE	Resistant Structures	none	none	none	V. Light	Light	Moderate	Moderate/Heavy	Heavy	V. Heavy
	Vulnerable Structures	none	none	none	Light	Moderate	Moderate/Heavy	Heavy	V. Heavy	V. Heavy

*Estimated exposure only includes population within the map area.

Population Exposure



Structures:

Overall, the population in this region resides in structures that are resistant to earthquake shaking, though some vulnerable structures exist.

Historical Earthquakes (with MMI levels):

Date (UTC)	Dist. (km)	Mag.	Max MMI(#)	Shaking Deaths
1981-01-22	159	6.4	V(203k)	0
1994-12-28	100	7.7	VII(132k)	3
1983-05-26	374	7.7	VII(174k)	104

Recent earthquakes in this area have caused secondary hazards such as landslides and fires that might have contributed to losses.

Selected City Exposure

from GeoNames.org

MMI City	Population
III Yamada	20k
III Uchimaru	< 1k
III Ofunato	35k
III Hachinohe	239k
III Tono	27k
III Miyako	52k
III Kamaishi	43k
III Inuotose	< 1k
III Misawa	43k
III Otsuchi	16k
III Onagawa Cho	< 1k

bold cities appear on map

(k = x1000)

PAGER content is automatically generated, and only considers losses due to structural damage. Limitations of input data, shaking estimates, and loss models may add uncertainty.

<http://earthquake.usgs.gov/pager>

Event ID: us20002nj8