

Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the <u>interactive fault map</u>.

Skinner Flat fault (Class A) No. 192

Last Review Date: 2017-07-01

citation for this record: Bryant, W.A., compiler, 2017, Fault number 192, Skinner Flat fault, in Quaternary fault and fold database of the United States: U.S. Geological Survey website,

https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 02:25 PM.

Synopsis	
Name comments	Fault ID: Refers to fault number 66A of Jennings (1994).
County(s) and State(s)	PLUMAS COUNTY, CALIFORNIA
Physiographic province(s)	CASCADE-SIERRA MOUNTAINS
Reliability of location	Compiled at 1: scale. Comments: Location of fault from Qt_flt_ver_3-
	0_Final_WGS84_polyline.shp (Bryant, W.A., written communication to K.Haller, August 15, 2017) attributed to PG&E (1994).

Geologic setting		
Length (km)	16 km.	
Average strike		
Sense of movement		
Dip		
Paleoseismology studies		
Geomorphic expression		
Age of faulted surficial deposits		
Historic earthquake		
Most recent prehistoric deformation	late Quaternary (<130 ka) Comments:	
Recurrence interval		
Slip-rate category	Unspecified	
Date and Compiler(s)	2017 William A. Bryant, California Geological Survey	
References	#2878 Jennings, C.W., 1994, Fault activity map of California and adjacent areas, with locations of recent volcanic eruptions: California Division of Mines and Geology Geologic Data Map 6, 92 p., 2 pls., scale 1:750,000.	

Questions or comments?

Facebook Twitter Google Email

<u>Hazards</u>

<u>Design Ground MotionsSeismic Hazard Maps & Site-Specific DataFaultsScenarios</u> <u>EarthquakesHazardsDataEducationMonitoringResearch</u>

*	
Search	Search

HomeAbout UsContactsLegal