Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the <u>interactive fault map</u>.

unnamed fault in the Little San Bernardino Mountains (Class A) No. 213

Last Review Date: 2017-07-01

citation for this record: Bryant, W.A., compiler, 2017, Fault number 213, unnamed fault in the Little San Bernardino Mountains, in Quaternary fault and fold database of the United States: U.S. Geological Survey website, https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 02:20 PM.

Synopsis	
Name comments	
County(s) and State(s)	RIVERSIDE COUNTY, CALIFORNIA
Physiographic province(s)	BASIN AND RANGE
Reliability of location	Compiled at 1: scale. Comments: Location of fault from Qt_flt_ver_3-
	0_Final_WGS84_polyline.shp (Bryant, W.A., written

	communication to K.Haller, August 15, 2017) attributed to Riverside County (2001) mapped at unspecified scale.
Geologic setting	
Length (km)	km.
Average strike	
Sense of movement	Unspecified
Dip	
Paleoseismology studies	
Geomorphic expression	
Age of faulted surficial deposits	
Historic earthquake	
Most recent	latest Quaternary (<15 ka)
prehistoric deformation	Comments:
Recurrence interval	
Slip-rate category	Unspecified
Date and Compiler(s)	2017 William A. Bryant, California Geological Survey
References	#8239 Riverside County, compiler, 2001, GIS files of recently active faults in Riverside County, California: Riverside County, unpublished digital compilation of recently active faults.

Questions or comments?

Facebook Twitter Google Email Hazards

<u>Design Ground MotionsSeismic Hazard Maps & Site-Specific DataFaultsScenarios</u>

EarthquakesHazardsDataEducationMonitoringResearch

Search...

Search

HomeAbout UsContactsLegal