## Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the <u>interactive fault map</u>.

## Murphy Canyon fault (Class A) No. 303

**Last Review Date: 2017-07-01** 

citation for this record: Bryant, W.A., compiler, 2017, Fault number 303, Murphy Canyon fault, in Quaternary fault and fold database of the United States: U.S. Geological Survey website,

https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 02:52 PM.

Synopsis		
Name comments		
County(s) and State(s)	SAN DIEGO COUNTY, CALIFORNIA	
Physiographic province(s)	LOWER CALIFORNIAN	
•	Good Compiled at 1:1:100,00 and 1:24,000 scale.	
	Comments: Location of fault from Qt_flt_ver_3-0_Final_WGS84_polyline.shp (Bryant, W.A., written communication to K.Haller, August 15, 2017) attributed to Treiman (1993).	

Geologic setting		
Length (km)	5 km.	
Average strike		
Sense of movement	Unspecified	
Dip		
Paleoseismology studies		
Geomorphic expression		
Age of faulted surficial deposits		
Historic earthquake		
Most recent prehistoric deformation	undifferentiated Quaternary (<1.6 Ma)  Comments:	
Recurrence interval		
Slip-rate category	Unspecified	
Date and Compiler(s)	2017 William A. Bryant, California Geological Survey	
References	#6494 Treiman, J.A., 1993, The Rose Canyon fault zone, southern California: California Department of Conservation, Division of Mines and Geology Open-File Report 93-02, 45 p., 3 pls., scale 1:100,00 and 1:24,000.	

## Questions or comments?

Facebook Twitter Google Email

**Hazards** 

<u>Design Ground MotionsSeismic Hazard Maps & Site-Specific DataFaultsScenarios</u> <u>EarthquakesHazardsDataEducationMonitoringResearch</u>

*	
Search	Search

HomeAbout UsContactsLegal