

Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the [interactive fault map](#).

Cleghorn Lake fault (Class A) No. 349

Last Review Date: 2017-07-01

citation for this record: , compiler, 2017, Fault number 349, Cleghorn Lake fault, in Quaternary fault and fold database of the United States: U.S. Geological Survey website, <https://earthquakes.usgs.gov/hazards/qfaults>, accessed 12/14/2020 02:51 PM.

Synopsis	
Name comments	Fault ID: Refers to fault number 422A of Jennings (1994).
County(s) and State(s)	CALIFORNIA
Physiographic province(s)	
Reliability of location	Compiled at 1:50,000 scale. <i>Comments:</i>
Geologic setting	
Length (km)	km.

Average strike	
Sense of movement	
Dip	
Paleoseismology studies	
Geomorphic expression	
Age of faulted surficial deposits	
Historic earthquake	
Most recent prehistoric deformation	undifferentiated Quaternary (<1.6 Ma) <i>Comments:</i>
Recurrence interval	
Slip-rate category	Unspecified
Date and Compiler(s)	2017
References	#8145 Howard, K. A., 2002, Geologic map of the Sheep Hole Mountains 30' x 60', San Bernardino and Riverside, Counties, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-2344, scale 1:100,000. #2878 Jennings, C.W., 1994, Fault activity map of California and adjacent areas, with locations of recent volcanic eruptions: California Division of Mines and Geology Geologic Data Map 6, 92 p., 2 pls., scale 1:750,000.

[Questions or comments?](#)

[Facebook](#) [Twitter](#) [Google](#) [Email](#)

[Hazards](#)

[Design Ground Motions](#)[Seismic Hazard Maps & Site-Specific Data](#)[Faults](#)[Scenarios](#)

[Earthquakes](#)[Hazards](#)[Data](#)[Education](#)[Monitoring](#)[Research](#)

Search...

Search

[Home](#)[About Us](#)[Contacts](#)[Legal](#)