

Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the [interactive fault map](#).

Red Pass fault (Class A) No. 360

Last Review Date: 2017-05-15

citation for this record: Bryant, W.A., compiler, 2017, Fault number 360, Red Pass fault, in Quaternary fault and fold database of the United States: U.S. Geological Survey website, <https://earthquakes.usgs.gov/hazards/qfaults>, accessed 12/14/2020 03:10 PM.

Synopsis	
Name comments	
County(s) and State(s)	SAN BERNARDINO COUNTY, CALIFORNIA
Physiographic province(s)	BASIN AND RANGE
Reliability of location	Poor Compiled at 1:750,000 scale. <i>Comments:</i> Location of fault from Qt_ft_ver_3-0_Final_WGS84_polyline.shp (Bryant, W.A., written communication to K.Haller, August 15, 2017) attributed to 1:750,000-scale map by Jennings (1994).

Geologic setting	
Length (km)	19 km.
Average strike	
Sense of movement	
Dip Direction	SW; NE
Paleoseismology studies	
Geomorphic expression	
Age of faulted surficial deposits	
Historic earthquake	
Most recent prehistoric deformation	latest Quaternary (<15 ka) <i>Comments:</i>
Recurrence interval	
Slip-rate category	Unspecified
Date and Compiler(s)	2017 William A. Bryant, California Geological Survey
References	#2878 Jennings, C.W., 1994, Fault activity map of California and adjacent areas, with locations of recent volcanic eruptions: California Division of Mines and Geology Geologic Data Map 6, 92 p., 2 pls., scale 1:750,000.

[Questions or comments?](#)

[Facebook](#) [Twitter](#) [Google](#) [Email](#)

[Hazards](#)

[Design Ground Motions](#)[Seismic Hazard Maps & Site-Specific Data](#)[Faults](#)[Scenarios](#)

[Earthquakes](#)[Hazards](#)[Data](#)[Education](#)[Monitoring](#)[Research](#)

