Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the <u>interactive fault map</u>.

Carnadero fault (Class A) No. 439

Last Review Date: 2017-07-01

citation for this record: , compiler, 2017, Fault number 439, Carnadero fault, in Quaternary fault and fold database of the United States: U.S. Geological Survey website, https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 03:10 PM.

Synopsis	
Name comments	
County(s) and State(s)	CALIFORNIA
Physiographic province(s)	
Reliability of location	Compiled at 1:48,000 scale. Comments:
Geologic setting	
Length (km)	km.

Average strike	
Sense of movement	
Dip	
Paleoseismology	
studies	
Geomorphic expression	
Age of faulted surficial deposits	
Historic earthquake	
Most recent	undifferentiated Quaternary (<1.6 Ma)
prehistoric deformation	Comments:
Recurrence interval	
Slip-rate category	Unspecified
Date and Compiler(s)	2017
References	#2878 Jennings, C.W., 1994, Fault activity map of California and adjacent areas, with locations of recent volcanic eruptions: California Division of Mines and Geology Geologic Data Map 6, 92 p., 2 pls., scale 1:750,000.
	#8201 McLaughlin, R.J., Clark, J.C., Brabb, E.E., Helley, E.J. and Colon, C.J., 2001, Geologic maps and structure sections of the southwestern Santa Clara Valley and southern Santa Cruz Mountains, Santa Clara and Santa Cruz counties, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-2373, map scale 1:24,000.

Questions or comments?

Facebook Twitter Google Email Hazards

D	<u>esig</u> i	n Ground	l MotionsSei	ismic Hazaı	d Maps	& Site-S	<u>Specific</u>	DataFaul	tsScenarios)
EarthquakesHazardsDataEducationMonitoringResearch										
					C	,				

Search... Search
HomeAbout UsContactsLegal