Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the <u>interactive fault map</u>.

Watterson Canyon fault (Class A) No. 444

Last Review Date: 2017-05-15

citation for this record: Bryant, W.A., compiler, 2017, Fault number 444, Watterson Canyon fault, in Quaternary fault and fold database of the United States: U.S. Geological Survey website,

https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 03:10 PM.

Synopsis		
Name comments		
County(s) and State(s)	MONO COUNTY, CALIFORNIA	
	BASIN AND RANGE CASCADE-SIERRA MOUNTAINS	
Reliability of location		
	Comments: Location of fault from Qt_flt_ver_3-0_Final_WGS84_polyline.shp (Bryant, W.A., written communication to K.Haller, August 15, 2017) attributed to Bailey (1989).	

Geologic setting		
Length (km)	22 km.	
Average strike		
Sense of movement	Unspecified	
Dip		
Paleoseismology studies		
Geomorphic expression		
Age of faulted surficial deposits		
Historic earthquake		
Most recent prehistoric deformation	undifferentiated Quaternary (<1.6 Ma) Comments:	
Recurrence interval		
Slip-rate category	Unspecified	
Date and Compiler(s)	2017 William A. Bryant, California Geological Survey	
References	#5577 Bailey, R.A., 1989, Geologic map of the Long Valley caldera, Mono-Inyo craters volcanic chain and vicinity, eastern California: U.S. Geological Survey Miscellaneous Investigations Series Map I-1933, scale 1:62,500.	

Questions or comments?

Facebook Twitter Google Email

Hazards

<u>Design Ground MotionsSeismic Hazard Maps & Site-Specific DataFaultsScenarios</u> <u>EarthquakesHazardsDataEducationMonitoringResearch</u>

*	
Search	Search

HomeAbout UsContactsLegal