Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the <u>interactive fault map</u>.

unnamed faults south of Mono Lake (Class A) No. 454

Last Review Date: 2017-07-01

citation for this record: , compiler, 2017, Fault number 454, unnamed faults south of Mono Lake, in Quaternary fault and fold database of the United States: U.S. Geological Survey website,

https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 03:09 PM.

Synopsis	
Name comments	
County(s) and State(s)	CALIFORNIA
Physiographic province(s)	
Reliability of location	Compiled at 1:62,500 scale. Comments:

Geologic setting	
Length (km)	km.
Average strike	
Sense of movement	Normal
Dip	
Paleoseismology studies	
Geomorphic expression	
Age of faulted surficial deposits	
Historic earthquake	
Most recent prehistoric deformation	undifferentiated Quaternary (<1.6 Ma) Comments:
Recurrence interval	
Slip-rate category	Unspecified
Date and Compiler(s)	2017
References	#5577 Bailey, R.A., 1989, Geologic map of the Long Valley caldera, Mono-Inyo craters volcanic chain and vicinity, eastern California: U.S. Geological Survey Miscellaneous Investigations Series Map I-1933, scale 1:62,500.
	#2878 Jennings, C.W., 1994, Fault activity map of California and adjacent areas, with locations of recent volcanic eruptions: California Division of Mines and Geology Geologic Data Map 6, 92 p., 2 pls., scale 1:750,000.

Questions or comments?

Facebook Twitter Google Email

<u>Hazards</u>	_			
Design Ground M	otionsSeismic Hazard	Maps & Site-S	pecific DataF	aultsScenarios
	dsDataEducationMon	•	•	
Search	Search	_		
HomeAbout UsCo	ontactsLegal			