Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the <u>interactive fault map</u>.

unnamed faults on west side Slate Range (Class A) No. 468

Last Review Date: 2017-07-01

citation for this record: , compiler, 2017, Fault number 468, unnamed faults on west side Slate Range, in Quaternary fault and fold database of the United States: U.S. Geological Survey website, https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 03:08 PM.

Synopsis	
Name comments	
County(s) and State(s)	CALIFORNIA
Physiographic province(s)	
Reliability of location	Poor Compiled at 1:750,000 scale. Comments:

Geologic setting	
Length (km)	km.
Average strike	
Sense of movement	
Dip	
Paleoseismology studies	
Geomorphic expression	
Age of faulted surficial deposits	
Historic earthquake	
Most recent prehistoric deformation	undifferentiated Quaternary (<1.6 Ma) Comments:
Recurrence interval	
Slip-rate category	Unspecified
Date and Compiler(s)	2017
References	#2878 Jennings, C.W., 1994, Fault activity map of California and adjacent areas, with locations of recent volcanic eruptions: California Division of Mines and Geology Geologic Data Map 6, 92 p., 2 pls., scale 1:750,000.
	#6456 Smith, G.I., Troxel, B.W., Gray, C.H., Jr., and von Huene, R., 1968, Geologic reconnaissance of the Slate Range, San Bernardino and Inyo Counties, California: [California] Division of Mines and Geology Special Report 96, 1 sheet, scale 1:62,500.

Questions or comments?

Facebook Twitter Google Email

<u>Hazards</u>	_			
Design Ground M	otionsSeismic Hazard	Maps & Site-S	pecific DataF	aultsScenarios
	dsDataEducationMon	•	•	
Search	Search	_		
HomeAbout UsCo	ontactsLegal			