## Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the <u>interactive fault map</u>.

## Bidwell Creek fault zone (Class A) No. 500

**Last Review Date: 2017-07-01** 

citation for this record: Bryant, W.A., compiler, 2017, Fault number 500, Bidwell Creek fault zone, in Quaternary fault and fold database of the United States: U.S. Geological Survey website,

https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 03:09 PM.

Synopsis	
Name comments	
County(s) and State(s)	SONOMA COUNTY, CALIFORNIA
Physiographic province(s)	PACIFIC BORDER
Reliability of location	Compiled at 1:24,000 scale.
	Comments: Location of fault from Qt_flt_ver_3-0_Final_WGS84_polyline.shp (Bryant, W.A., written communication to K.Haller, August 15, 2017) attributed to 1:24,000-scale map by McLaughlin and others (2004).

Geologic setting	
Length (km)	9 km.
Average strike	
Sense of movement	Right lateral, Left lateral
Dip	
Paleoseismology studies	
Geomorphic expression	
Age of faulted surficial deposits	
Historic earthquake	
Most recent prehistoric deformation	undifferentiated Quaternary (<1.6 Ma)  Comments:
Recurrence interval	
Slip-rate category	Unspecified
Date and Compiler(s)	2017 William A. Bryant, California Geological Survey
References	#8202 McLaughlin, R.J., Sarna-Wojcicki, A.M., Fleck, R.J., Wright, W.H., Levin, V.R.G. and Valin, Z.C., 2004, Geology, tephrochronology, radiometric ages, and cross sections of the Mark West Springs 7.5' quadrangle, Sonoma and Napa counties, California: U.S. Geological Survey Scientific Investigations Map SIM-2858, scale 1:24,000.

## Questions or comments?

Facebook Twitter Google Email Hazards

<u>Design Ground MotionsSeismic Hazard Maps & Site-Specific DataFaultsScenarios</u>

EarthquakesHazardsDataEducationMonitoringResearch

Search...

Search

HomeAbout UsContactsLegal