## Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the <u>interactive fault map</u>.

## Franz Valley thrust (Class A) No. 514

**Last Review Date: 2017-07-01** 

citation for this record: Bryant, W.A., compiler, 2017, Fault number 514, Franz Valley thrust, in Quaternary fault and fold database of the United States: U.S. Geological Survey website,

https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 03:06 PM.

Synopsis	
Name comments	
County(s) and State(s)	SONOMA COUNTY, CALIFORNIA
Physiographic province(s)	PACIFIC BORDER
	Compiled at 1:24,000 scale.  Comments: Location of fault from Qt_flt_ver_3- 0_Final_WGS84_polyline.shp (Bryant, W.A., written communication to K.Haller, August 15, 2017).

Geologic setting		
Length (km)	7 km.	
Average strike		
Sense of movement	Reverse	
Dip		
Paleoseismology studies		
Geomorphic expression		
Age of faulted surficial deposits		
Historic earthquake		
Most recent prehistoric deformation	undifferentiated Quaternary (<1.6 Ma)  Comments:	
Recurrence interval		
Slip-rate category	Unspecified	
Date and Compiler(s)	2017 William A. Bryant, California Geological Survey	
References	#8202 McLaughlin, R.J., Sarna-Wojcicki, A.M., Fleck, R.J., Wright, W.H., Levin, V.R.G. and Valin, Z.C., 2004, Geology, tephrochronology, radiometric ages, and cross sections of the Mark West Springs 7.5' quadrangle, Sonoma and Napa counties, California: U.S. Geological Survey Scientific Investigations Map SIM-2858, scale 1:24,000.	

## Questions or comments?

Facebook Twitter Google Email Hazards

<u>Design Ground MotionsSeismic Hazard Maps & Site-Specific DataFaultsScenarios</u> <u>EarthquakesHazardsDataEducationMonitoringResearch</u>

*	
Search	Search

HomeAbout UsContactsLegal