

Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the [interactive fault map](#).

unnamed fault (Class A) No. 607

Last Review Date: 1993-03-17

Compiled in cooperation with the Idaho Geological Survey

citation for this record: Haller, K.M., compiler, 1993, Fault number 607, unnamed fault, in Quaternary fault and fold database of the United States: U.S. Geological Survey website, <https://earthquakes.usgs.gov/hazards/qfaults>, accessed 12/14/2020 03:02 PM.

Synopsis	Fault is poorly understand, no known studies have been completed at time of this compilation. Sole source of data is Witkind (1975 #320).
Name comments	Fault as shown by Witkind (1975 #320) extends from west of Reno Gulch eastward along bedrock spur to edge of Snake River Plain. Fault ID: Refers to number 110 ("unnamed fault") in Witkind (1975 #320)
County(s) and State(s)	CLARK COUNTY, IDAHO JEFFERSON COUNTY, IDAHO

Physiographic province(s)	NORTHERN ROCKY MOUNTAINS
Reliability of location	Poor Compiled at 1:500,000 scale. <i>Comments:</i> Location of fault based on 1:500,000-scale map of Witkind (1975 #320).
Geologic setting	One of two [608] subparallel, high-angle, down-to-south, normal faults bounding part of southern end of the Beaverhead Mountains.
Length (km)	6 km.
Average strike	N88°W
Sense of movement	Normal <i>Comments:</i> (Witkind, 1975 #320)
Dip Direction	S
Paleoseismology studies	
Geomorphic expression	
Age of faulted surficial deposits	
Historic earthquake	
Most recent prehistoric deformation	undifferentiated Quaternary (<1.6 Ma) <i>Comments:</i> Witkind (1975 #320) suggested fault is probably late Quaternary but also indicates that it may be Quaternary. The conservative estimate is used here. Fault not shown on map of Breckenridge and others (2003 #5878).
Recurrence interval	
Slip-rate category	Less than 0.2 mm/yr

	<i>Comments:</i> Low slip rate is assigned based on the lack of evidence to indicate otherwise.
Date and Compiler(s)	1993 Kathleen M. Haller, U.S. Geological Survey
References	#5878 Breckenridge, R.M., Lewis, R.S., Adema, G.W., and Weisz, D.W., 2003, Miocene and younger faults in Idaho: Idaho Geological Survey Map 8, 1 sheet, scale 1:1,000,000. #320 Witkind, I.J., 1975, Preliminary map showing known and suspected active faults in Idaho: U.S. Geological Survey Open-File Report 75-278, 71 p. pamphlet, 1 sheet, scale 1:500,000.

[Questions or comments?](#)

[Facebook](#) [Twitter](#) [Google](#) [Email](#)

[Hazards](#)

[Design Ground Motions](#)[Seismic Hazard Maps & Site-Specific Data](#)[Faults](#)[Scenarios](#)

[Earthquakes](#)[Hazards](#)[Data](#)[Education](#)[Monitoring](#)[Research](#)

[Home](#)[About Us](#)[Contacts](#)[Legal](#)